





關於 Juniper Networks

瞻博網路透過可以改變網路經濟性的產品、解決方案和客戶服務來挑戰現狀。

我們的團隊與合作夥伴共同創新，提供客戶具備靈活、高效能、附加價值、可擴展的的自動化安全網路。

更多信息請至 Juniper Networks 網站：www.juniper.net

EX Switch 系列





Juniper 主打產品 - 新一代 EX2300 設備

- 高效能，低單價的低階 L2/L3 10/100/1000 交換器
- 適合分點和集線之用
- 固定式設計
 - 24 or 48 埠
 - PoE+ 功能可供選購
 - 4 SFP+ 10G 上鏈模組
- Junos 作業系統
 - 提供 L2 和 L3 基本路由功能
- 低耗能
 - 比 10/100 的交換器還省電
- 支援 Virtual Chassis，頻寬：80G、堆疊數：4 台

EX2300 之優點包含

- 具備 Junos Fusion Enterprise 功能
- 連接埠較多，為 24 埠 + 4 埠設計
- 傳輸效能達 1:1，無頻寬縮減
- 具備 L3 路由功能
- 體積較小，適用於不同大小之機櫃



EX 2300 系列產品對照表


EX 2300 系列	EX2300-C-12T	EX2300-C-12P	EX2300-24T	EX2300-24P	EX2300-48T	EX2300-48P
可選購上行連接網路介面	2-port 10 Gigabit Ethernet		4-port 10 Gigabit Ethernet			
封包交換能力	64 Gbps	64 Gbps	128 Gbps	128 Gbps	176 Gbps	176 Gbps
Layer2 處理效能 (Wire Speed)	47 Mpps	47 Mpps	95 Mpps	95 Mpps	130 Mpps	130 Mpps
10/100/1000 埠密度	12 Port	12 Port	24 Port	24 Port	48 Port	48 Port
PoE 埠	0	12	0	24	0	48
1G SFP 埠密度	2 port GbE module with pluggable SFP optics		4 port GbE module with pluggable SFP optics			
10G SFP 埠密度	2 port 10 GbE module with pluggable SFP optics		4 port 10 GbE module with pluggable SFP optics			
Jumbo Frames	9,216 Byte					
IPv4 Unicast Routes	4,096					
VLANs	2,048					
靜態 MAC 位址數	16,000					
支援堆疊數量	4					

產品料號	建議售價	產品說明
Base Systems (主機)		
EX2300-C-12T	92,040	EX2300 Compact Fanless 12-port 10/100/1000BaseT, 2 x 1/10G SFP/SFP+ (optics sold separately)
EX2300-C-12T-VC	89,400	EX2300 Compact Fanless 12-port 10/100/1000BaseT, 2 x 1/10G SFP/SFP+ with VC License (optics sold separately)
EX2300-C-12P	134,760	EX2300 Compact Fanless 12-port 10/100/1000BaseT PoE+, 2 x 1/10G SFP/SFP+ (optics sold separately)
EX2300-C-12P-VC	131,760	EX2300 Compact Fanless 12-port 10/100/1000BaseT PoE+, 2 x 1/10G SFP/SFP+ with VC License (optics sold separately)
HOT EX2300-24T	113,400	EX2300 24-port 10/100/1000BaseT, 4 x 1/10G SFP/SFP+ (optics sold separately)
EX2300-24T-DC	195,360	EX2300 24-port 10/100/1000BaseT with internal DC PSU, 4 x 1/10G SFP/SFP+ (optics sold separately)
EX2300-24T-VC	157,320	EX2300 24-port non-PoE+ w/ VC License
EX2300-24P	184,680	EX2300 24-port 10/100/1000BaseT PoE+, 4 x 1/10G SFP/SFP+ (optics sold separately)
EX2300-24P-VC	222,780	EX2300 24-port PoE+ w/ VC License
HOT EX2300-48T	206,040	EX2300 48-port 10/100/1000BaseT, 4 x 1/10G SFP/SFP+ (optics sold separately)
EX2300-48T-VC	242,220	EX2300 48-port non-PoE+ w/ VC License
EX2300-48P	319,440	EX2300 48-port 10/100/1000BaseT PoE+, 4 x 1/10G SFP/SFP+ (optics sold separately)
EX2300-48P-VC	345,960	EX2300 48-port PoE+ w/ VC License

EX Switch 價格表

EX 3400 系列產品對照表

EX 3400 系列	EX3400-24T	EX3400-24P	EX3400-48T	EX3400-48P
可選購上行連接網路介面	4-port 10 Gigabit Ethernet and 2-port 40 Gigabit Ethernet			
封包交換能力	288 Gbps	288 Gbps	336 Gbps	336 Gbps
Layer2 處理效能 (Wire Speed)	214 Mpps		250 Mpps	
10/100/1000 埠密度	24 Port		48 Port	
PoE 埠	0	48	0	48
10 G SFP 埠密度	4			
40G QSFP 埠密度	2			
Jumbo Frames	9,216 Byte			
IPv4 Unicast Routes	36,000			
VLANs	4,093			
靜態 MAC 位址數	32,000			
支援堆疊數量	10			

產品料號	建議售價	產品說明
Base Systems (主機)		
 EX3400-24T	213,840	EX3400 24-port 10/100/1000BaseT, 4 x 1/10G SFP/SFP+, 2 x 40G QSFP+, redundant fans, front-to-back airflow, 1 AC PSU JPSU-150-AC-AFO included (optics sold separately)
EX3400-24T-DC	272,160	EX3400 24-port 10/100/1000BaseT, 4 x 1/10G SFP/SFP+, 2 x 40G QSFP+, redundant fans, front-to-back airflow, 1 DC PSU JPSU-150-DC-AFO included (optics sold separately)
EX3400-24P	265,680	EX3400 24-port 10/100/1000BaseT PoE+, 4 x 1/10G SFP/SFP+, 2 x 40G QSFP+, redundant fans, front-to-back airflow, 1 AC PSU JPSU-600-AC-AFO included (optics sold separately)
EX3400-48T	382,320	EX3400 48-port 10/100/1000BaseT, 4 x 1/10G SFP/SFP+, 2 x 40G QSFP+, redundant fans, front-to-back airflow, 1 AC PSU JPSU-150-AC-AFO included (optics sold separately)
EX3400-48T-AFI	382,320	EX3400 48-port 10/100/1000BaseT, 4 x 1/10G SFP/SFP+, 2 x 40G QSFP+, redundant fans, back-to-front airflow, 1 AC PSU JPSU-150-AC-AFI included (optics sold separately)
EX3400-48P	528,120	EX3400 48-port 10/100/1000BaseT PoE+, 4 x 1/10G SFP/SFP+, 2 x 40G QSFP+, redundant fans, front-to-back airflow, 1 AC PSU JPSU-920-AC-AFO included (optics sold separately)
Power Supplies (3400 電源供應器)		
JPSU-150-AC-AFI	32,100	EX3400 150W AC Power Supply, back-to-front airflow (power cord needs to be ordered separately)
JPSU-150-AC-AFO	32,100	EX3400 150W AC Power Supply, front-to-back airflow (power cord needs to be ordered separately)
JPSU-150-DC-AFO	51,540	EX3400 150W DC Power Supply, front-to-back airflow (power cord needs to be ordered separately)
JPSU-600-AC-AFO	61,260	EX3400 600W AC Power Supply, front-to-back airflow (power cord needs to be ordered separately)
JPSU-920-AC-AFO	93,660	EX3400 920W AC Power Supply, front-to-back airflow (power cord needs to be ordered separately)

EX Switch 價格表



EX 4300 系列產品對照表

EX 4300 系列	EX4300-24T	EX4300-24P	EX4300-48T	EX4300-48P
可選購上行連接網路介面	4-port 1Gigabit Ethernet or 4-port 10Gigabit Ethernet			
封包交換能力	448 Gbps	448 Gbps	496 Gbps	496 Gbps
Layer2 處理效能 (Wire Speed)	333 Mpps	333 Mpps	369 Mpps	369 Mpps
10/100/1000 埠密度	24 Port	24 Port	48 Port	48 Port
10G SFP 埠密度	4			
40G SFP 埠密度	4			
Jumbo Frames	9,126 Bytes			
IPv4 Unicast/Multicast Routes	32,000/8,000			
IPv6 Unicast/Multicast Routes	18,000/4,000			
VLANs	4,093			
MAC 位址數	64K			
支援堆疊數量	10			

產品料號	建議售價	產品說明
Base Systems (主機)		
EX4300-24T	363,540	EX4300, 24-Port 10/100/1000BaseT + 350W AC PS
EX4300-24T-S	330,480	EX4300, Chassis, 24-Port 10/100/1000 BaseT (No Power Supply or Fan Included)
EX4300-48T	559,860	EX4300, 48-Port 10/100/1000BaseT + 350W AC PS
EX4300-48T-S	538,800	EX4300, Chassis, 48-Port 10/100/1000 BaseT (No Power Supply or Fan Included)
EX4300-24P	421,200	EX4300, 24-Port 10/100/1000BaseT PoE-plus + 715W AC PS
EX4300-24P-S	349,920	EX4300, Chassis, 24-Port 10/100/1000 BaseT PoE-Plus (No Power Supply or Fan Included)
EX4300-48P	699,840	EX4300, 48-Port 10/100/1000BaseT PoE-plus + 1100W AC PS
EX4300-48P-S	623,040	EX4300, Chassis, 48-Port 10/100/1000 BaseT PoE-Plus (No Power Supply or Fan Included)
EX4300-48T-AFI	559,860	EX4300, 48-Port 10/100/1000BaseT + 350W AC PS (Airflow in)
EX4300-48T-DC	596,160	EX4300, 48-Port 10/100/1000BaseT + 550W DC PS
EX4300-48T-DC-AFI	596,160	EX4300, 48-Port 10/100/1000BaseT + 450W DC PS (Airflow in)
EX4300-32F-S	771,120	EX4300 spare chassis, 32-port 1000BaseX SFP , 4x10GBaseX SFP+ , 2x40GBaseX QSFP+ (optics, power supplies and fans not included and sold separately)
EX4300-32F	804,480	EX4300, 32-Port 1000BaseX SFP, 4x10GBaseX SFP+ and 350W AC PS (Optics sold separately)
EX4300-32F-DC	842,400	EX4300, 32-Port 1000BaseX SFP, 4x10GBaseX SFP+ and 550W DC PS (Optics sold separately)
Uplink Modules (4300 模組)		
EX-UM-4X4SFP	139,620	EX4300, 4-Port 10G SFP+/4-Port 1G SFP Uplink Module
EX-UM-2QSFP	421,200	EX4300, 2-Port 40G QSFP+ Uplink Module
EX-UM-8X8SFP	421,200	EX4300, 8-Port 10G SFP+/ 8-Port 1G SFP Uplink Module
Power Supplies (4300 電源供應器)		
JPSU-1100-AC-AFO	104,640	EX4300, 1100W AC Power Supply (Power Cord needs to be ordered separately), PSU-Side Airflow Exhaust
JPSU-350-AC-AFI	34,680	EX4300, 350W AC Power Supply with Airflow-In (Power Cord needs to be ordered separately), PSU-Side Airflow Intake
JPSU-350-AC-AFO	34,680	EX4300, 350W AC Power Supply (Power Cord needs to be ordered separately), PSU-Side Airflow Exhaust
JPSU-550-DC-AFI	55,740	EX4300, 550W DC Power Supply Airflow-In (Power Cord needs to be ordered separately), PSU-Side Airflow Intake
JPSU-550-DC-AFO	55,740	EX4300, 550W DC Power Supply (Power Cord needs to be ordered separately), PSU-Side Airflow Exhaust
JPSU-715-AC-AFO	64,500	EX4300, 715W AC Power Supply (Power Cord needs to be ordered separately), PSU-Side Airflow Exhaust

Juniper EX4400 Series Switch

產品料號	建議售價	產品說明
Base Systems (主機)		
EX4400-24T	411,780	24x1G port switch with 2x100G uplinks/stacking ports. MACsec AES256 capable (optional license sold separately). Optional extension module(sold separately): 4x10G or 4x25G
EX4400-24P	508,380	24x1G POE switch with 2x100G uplink/stacking ports. 90W POE. MACsec AES256 capable (optional license sold separately). Optional extension module(sold separately): 4x10G or 4x25G
EX4400-24MP	823,920	24x1/2.5/5/10G Multigigabit switch with 2x100G uplink/stacking ports. 90W POE. MACsec AES256. Optional extension module: 4x10G or 4x25G
EX4400-48T	562,800	48x1G port switch with 2x100G uplink/stacking ports. MACsec AES256 capable (optional license sold separately). Optional extension module(sold separately): 4x10G or 4x25G
EX4400-48P	755,220	48x1G POE switch with 2x100G uplink/stacking ports. 90W POE. MACsec AES256 capable (optional license sold separately). Optional extension module(sold separately): 4x10G or 4x25G
EX4400-48MP	892,620	12x1/2.5/5/10G, 36x1/2.5G Multigigabit switch with 2x100G uplink/stacking ports. 90W POE. MACsec AES256. Optional extension module:4x10G or 4x25G
EX4400-48F	1,098,660	12x10G SFP+, 36x1G SFP port fiber switch with 2x100G uplink/stacking ports. MACsec AES256 capable (optional license sold separately). Optional extension module(sold separately): 4x10G or 4x25G
Uplink Modules (4400 模組)		
EX4400-EM-4S	137,040	4x10G SFP+ extension module for EX4400 series of switches
EX4400-EM-4Y	274,440	4x25G SFP28 extension module for EX4400 series of switches. MACsec AES256
Power Supplies (4400 電源供應器)		
JPSU-550-C-AC-AFO	47,640	550W compact AC AFO power supply for EX4400 switches
JPSU-550-C-AC-AFI	47,640	550W compact AC AFI power supply for EX4400 switches
JPSU-550-C-DC-AFO	102,720	550W Compact DC AFO power supply for EX4400 switches
JPSU-550-C-DC-AFI	102,720	550W compact DC AFI power supply for EX4400 switches
JPSU-1050-C-AC-AFO	81,960	1050W Compact AC AFO power supply for EX4400 switches
JPSU-1600-C-AC-AFO	109,860	1600W Compact AC AFO power supply for EX4400 switches

EX Switch 價格表



EX 4600 系列產品對照表

EX 4600 系列	EX4600-40F	
設備機架高度	1U	
可選購上行連接網路介面	8-port 10Gigabit Ethernet	4-port 40Gigabit Ethernet
可擴充 I/O 插槽	2 個	
封包交換能力	1.44Tbps	
Layer2 處理效能 (Wire Speed)	1.07 Bpps	
最大 10G SFP 埠密度	內建 24 埠，可擴充至 72 埠	
最大 40G SFP 埠密度	內建 4 埠，可擴充至 12 埠	
Jumbo Frames	9216 Bytes	
IPv4 Unicast/Multicast Routes	128,000 / 104,000	
IPv6 Unicast/Multicast Routes	64,000 / 52,000	
VLANs	4091	
靜態 MAC 位址數	288 K	
支援堆疊數量	10	



EX 4650 系列產品對照表

EX 4650 系列	EX4650-48Y	
設備機架高度	1U	
可選購上行連接網路介面	QSFP/QSFP28	
可擴充 I/O 插槽	-NA-	
封包交換能力	2 Tbps	
Layer2 處理效能 (Wire Speed)	1.49 Bpps	
最大 10/25G SFP 埠密度	48	
最大 40/100G SFP 埠密度	8	
Jumbo Frames	9216 bytes	
IPv4 Unicast/Multicast Routes	360,000/104,000	
IPv6 Unicast/Multicast Routes	170,000/52,000	
VLANs	4,093	
靜態 MAC 位址數	288,000	
支援堆疊	Yes	

產品料號	建議售價	產品說明
Base Systems (主機)		
EX4600-40F-S	1,018,320	EX4600 spare chassis, 24 SFP+/SFP ports, 4 QSFP+ ports, 2 expansion slots, redundant fans, front to back airflow (optics, power supplies and fans not included and sold separately)
EX4600-40F-AFI	1,052,040	EX4600, 24 SFP+/SFP ports, 4 QSFP+ ports, 2 expansion slots, redundant fans, 2 AC power supplies, back to front airflow
EX4600-40F-AFO	1,052,040	EX4600, 24 SFP+/SFP ports, 4 QSFP+ ports, 2 expansion slots, redundant fans, 2 AC power supplies, front to back airflow
EX4600-40F-DC-AFI	1,221,780	EX4600, 24 SFP+/SFP ports, 4 QSFP+ ports, 2 expansion slots, redundant fans, 2 DC power supplies, back to front airflow
EX4600-40F-DC-AFO	1,221,780	EX4600, 24 SFP+/SFP ports, 4 QSFP+ ports, 2 expansion slots, redundant fans, 2 DC power supplies, front to back airflow
EX4650-48Y-AFI	1,900,920	EX4650 48x25G+8x100G 1U AC PSU side intake and port side exhaust
EX4650-48Y-AFO	1,900,920	EX4650 48x25G+8x100G 1U AC port side intake and PSU side exhaust
EX4650-48Y-DC-AFI	2,037,000	EX4650 48x25G+8x100G 1U DC PSU side intake and port side exhaust
EX4650-48Y-DC-AFO	2,037,000	EX4650 48x25G+8x100G 1U DC port side intake and PSU side exhaust
Uplink Modules (4600 模組)		
EX4600-EM-8F	233,280	EX4600 8 port SFP+/SFP expansion module

HOT

EX Switch 價格表

EX 9200 系列產品對照表

EX 9200 系列	EX9204	EX9208	EX9214
設備機架高度	6 U	8 U	16 U
擴充插槽	4	8	14
封包交換能力	1.6Tbps	4.8Tbps	13.2Tbps
最大 10/100/1000 BaseT 埠數	120	240	480
最大 10G SFP 埠密度	96	160	320
最大 40G SFP 埠密度	12	28	48
最大 100G SFP 埠密度	6	10	20
Jumbo Frames	9,192 Bytes		
IPv4 Unicast/Multicast Routes	256,000		
IPv6 Unicast/Multicast Routes	256,000		
VLANs	32,000		
靜態 MAC 位址數	1,000,000		

產品料號	建議售價	產品說明
Base Systems (主機)		
EX9204-BASE3A-AC	6,123,600	Base EX9204 system configuration: 4-slot chassis with passive midplane and 1x fan tray, 1x routing engine, 1x switch fabric-2 module, 2x 2520W AC PSUs, and all necessary blank panels
EX9204-REDUND3A-AC	10,935,000	Redundant EX9204 system configuration: 4-slot chassis with passive midplane and 1x fan tray, 2x routing engines, 2x switch fabric-2modules, 4x 2520W AC PSUs, and all necessary blank panels
EX9204-REDUND3A-DC	10,935,000	Redundant EX9204 system configuration: 4-slot chassis with passive midplane and 1x fan tray, 2x routing engines, 2x switch fabric-2modules, 2x 2400W DC PSUs, and all necessary blank panels
EX9208-BASE3A-AC	7,484,400	Base EX9208 system configuration: 8-slot chassis with passive midplane and 1x fan tray, 1x routing engine, 1x switch fabric-2 modules, 3x 2520W AC PSUs, and all necessary blank panels
EX9208-REDUND3A-AC	12,312,000	Redundant EX9208 system configuration: 8-slot chassis with passive midplane and 1x fan tray, 2x routing engines, 2x switch fabric-2modules, 4x 2520W AC PSUs, and all necessary blank panels
EX9208-REDUND3A-DC	12,312,000	Redundant EX9208 system configuration: 8-slot chassis with passive midplane and 1x fan tray, 2x routing engines, 2x switch fabric-2modules, 4x 2400W DC PSUs, and all necessary blank panels
EX9214-BASE3A-AC	10,206,000	Base EX9214 system configuration: 14-slot chassis with passive midplane and 2x fan trays, 1x routing engine, 2x switch fabric-2 modules, 3x 4100W AC PSUs, and all necessary blank panels
EX9214-REDUND3A-AC	13,608,000	Redundant EX9214 system configuration: 14-slot chassis with passive midplane and 2x fan trays, 2x routing engines, 3x switch fabric-2 modules, 4x 4100W AC PSUs, and all necessary blank panels
EX9214-REDUND3A-DC	13,608,000	Redundant EX9214 system configuration: 14-slot chassis with passive midplane and 2x fan trays, 2x routing engines, 3x switch fabric-2 modules, 4x 4100W DC PSUs, and all necessary blank panels
Interface Options (9200 介面)		
EX9200-40F-M	4,050,000	40-port 100FX/1000BASE-X SFP line card; MACsec capable; requires SFP optics sold separately
EX9200-6QS	6,123,600	6-port 40GbE QSFP+ or 24-port SFP+ combo line card; optics sold separately
EX9200-2C-8XS	8,100,000	EX9200, 2-Port 100GbE + 8-Port 10GbE Line Card (Optics Sold Separately)
EX9200-32XS	3,564,000	32-port 10GbE SFP+ line card; requires SFP+ optics sold separately
EX9200-40F	2,754,000	EX9200, 40-Port 100FX/1000BASE-X SFP Line Card, requires SFP (Optics Sold Separately)

EX Switch 價格表

產品料號	建議售價	產品說明
EX9200-40T	2,430,000	EX9200, 40-Port 10/100/1000BASE-T RJ-45 Line Card
EX9200-40XS	3,084,480	40-port 10GbE SFP+ line card; MACsec capable; requires SFP+ optics sold separately
Redundant Options (9200 系列備援增購)		
EX9200-RE	3,280,500	EX9200, Routing Engine, Quad Core 1800Ghz with 16G Memory
Power Supplies (電源供應器)		
PWR-MX480-2400-DC-S	349,920	2400W DC Power Supply, Spare
PWR-MX480-2520-AC-S	349,920	2520W AC Power Supply, Spare (Note: AC power cords are sold separately)
PWR-MX960-4100-AC-S	349,920	4100W AC Power Supply, Spare (Note: AC power cords are sold separately)
PWR-MX960-4100-DC-S	349,920	4100W DC Power Supply, Spare

EX Series Switch 配件類價格表

產品料號	建議售價	產品說明
License (軟體授權)		
S-EX-A-C2-3	55,200	SW, EX, Advanced, Class 2 (24 ports), includes Wired Assurance and VNA subscription for EX24 Port Switches, 3 YEAR
S-EX-A-C3-3	81,000	SW, EX, Advanced, Class 3 (32 or 48 ports), includes Wired Assurance and VNA subscription for EX32 or EX48 Port Switches, 3 YEAR
S-EX-A-C2-P	64,800	SW, EX, Advanced, Class 2 (24 ports), Perpetual
S-EX-A-C3-P	97,200	SW, EX, Advanced, Class 3 (32 or 48 ports), Perpetual
S-EX-P-C2-3	138,300	SW, EX, Premium, Class 2 (24 ports), includes Wired Assurance and VNA subscription for EX24 Port Switches, 3 YEAR
S-EX-P-C3-3	203,700	SW, EX, Premium, Class 3 (32 or 48 ports), includes Wired Assurance and VNA subscription for EX32 or EX48 Port Switches, 3 YEAR
S-EX-P-C2-P	172,500	SW, EX, Premium, Class 2 (24 ports), Perpetual
S-EX-P-C3-P	271,500	SW, EX, Premium, Class 3 (32 or 48 ports), Perpetual
EX4600-AFL	504,000	EX4600, Advanced Feature License for IS-IS, BGP, MPLS
EX4650-AFL	1,344,000	EX4650 Advanced software license (includes MPLS in addition to EX4650-PFL)
EX4650-PFL	504,000	EX4650 Premium software license (includes BGP, EVPN, VXLAN)
EX9204-AFL	1,620,000	EX9204, Advanced Feature License
EX9208-AFL	3,240,000	EX9208, Advanced Feature License
EX9214-AFL	4,860,000	EX9214, Advanced Feature License
EX-QFX-MACSEC-AGG	672,000	MACSec SW Feature License on Aggregation Switches. Applicable to EX4550 Switches.
Optics (光纖 GBIC)		
EX-SFP-10GE-DAC-1M	11,040	SFP+, 10GE Direct Attach Copper Cable, 1 meter, Standard Temperature (0 through 70 DEGREE C), 0.57W, 30 AWG
EX-SFP-10GE-DAC-3M	15,540	SFP+, 10GE Direct Attach Copper Cable, 3 meters, Standard Temperature (0 through 70 DEGREE C), 0.57W, 30 AWG
EX-SFP-10GE-DAC-5M	19,440	SFP+, 10GE Direct Attach Copper Cable, 5 meters, Standard Temperature (0 through 70 DEGREE C), 0.57W, 24 AWG
EX-SFP-10GE-DAC-7M	22,020	SFP+, 10GE Direct Attach Copper Cable, 7 meters, Standard Temperature (0 through 70 DEGREE C), 0.57W, 24 AWG
QFX-QSFP-DAC-1M	21,960	QSFP+, 40GE Direct Attach Copper Cable, 1 meter, Industrial Temperature (-40 through 85 DEGREE C), 0.015W, 30 AWG
QFX-QSFP-DAC-3M	29,280	QSFP+, 40GE Direct Attach Copper Cable, 3 meters, Industrial Temperature (-40 through 85 DEGREE C), 0.015W, 30 AWG

EX Series Switch 配件類價格表

產品料號	建議售價	產品說明
JNP-QSFP-DAC-5M	73,260	QSFP+, 40GE Direct Attach Copper Cable, 5 meters, Industrial Temperature (-40 through 85 DEGREE C), 0.015W, 26 AWG
EX-SFP-10GE-ER	725,760	SFP+ 10GBase-ER 10 Gigabit Ethernet Optics Module, 1550nm for 40Km Transmission
EX-SFP-10GE-LR	291,600	Small Form Factor Pluggable 10 Gigabit Ethernet (SFP+) LR Optics
EX-SFP-10GE-LRM	129,600	Small Form Factor Pluggable 10 Gigabit Ethernet (SFP+) LRM Optics
EX-SFP-10GE-SR	110,160	Small Form Factor Pluggable 10 Gigabit Ethernet (SFP+) SR Optics
EX-SFP-10GE-USR	54,420	SFP+ 10 Gigabit Ethernet Ultra Short Reach; 850 nm; 10m on OM1, 20m on OM2, 100m on OM3 Multi-Mode Fiber
EX-SFP-10GE-ZR	451,080	SFP+, 10GBASE-ZR for Switching, SMF 80 km, Standard Temperature (0 through 70 DEGREE C), Duplex LC connector
EX-SFP-1FE-FX	34,800	SFP, 100BASE-FX for Switching/Security Platforms, MMF 2 km, Extended Temperature (-5 through 70 DEGREE C), Duplex LC connector
EX-SFP-1FE-LX	51,180	SFP 100BASE-LX; LC connector; 1310nm; 10km Reach on Single Mode Fiber
EX-SFP-1GE-LH	440,640	Small Form Factor Pluggable 1000Base-LH Gigabit Ethernet Optics
EX-SFP-1GE-LX	77,760	Small Form Factor Pluggable 1000Base-LX Gigabit Ethernet Optics
EX-SFP-1GE-LX40K	29,280	SFP, 1000BASE-LX, SMF 40 km, Standard Temperature (0 through 70 DEGREE C), Duplex LC connector
EX-SFP-1GE-SX	36,300	Small Form Factor Pluggable 1000Base-SX Gigabit Ethernet Optics
EX-SFP-1GE-SX-ET	44,040	SFP, 1000Base-SX Gigabit Ethernet, Extended Temp Range Optics
EX-SFP-1GE-T	29,160	Small Form Factor Pluggable 10/100/1000 Copper Transceiver Module
EX-SFP-GE10KT13R14	136,080	SFP 1000Base-BX Gigabit Ethernet Optics, Tx 1310nm/Rx 1490nm for 10km transmission
EX-SFP-GE10KT13R15	110,160	SFP 1000Base-BX Gigabit Ethernet Optics, Tx 1310nm/Rx 1550nm for 10km Transmission
EX-SFP-GE10KT14R13	155,520	SFP 1000Base-BX Gigabit Ethernet Optics, Tx 1490nm/Rx 1310nm for 10km transmission
EX-SFP-GE10KT15R13	181,440	SFP 1000Base-BX Gigabit Ethernet Optics, Tx 1550nm/Rx 1310nm for 10km Transmission
EX-SFP-GE40KT13R15	194,400	SFP 1000Base-BX Gigabit Ethernet Optics, Tx 1310nm/Rx 1550nm for 40km Transmission
EX-SFP-GE40KT15R13	220,320	SFP 1000Base-BX Gigabit Ethernet Optics, Tx 1550nm/Rx 1310nm for 40km Transmission
EX-SFP-GE80KCW1470	189,720	SFP, 1000BASE-LX, 1470 nm, SMF 80 km, Standard Temperature (0 through 70 DEGREE C), Duplex LC connector
EX-SFP-GE80KCW1490	189,720	SFP, 1000BASE-LX, 1490 nm, SMF 80 km, Standard Temperature (0 through 70 DEGREE C), Duplex LC connector
EX-SFP-GE80KCW1510	189,720	SFP, 1000BASE-LX, 1510 nm, SMF 80 km, Standard Temperature (0 through 70 DEGREE C), Duplex LC connector
EX-SFP-GE80KCW1530	189,720	SFP, 1000BASE-LX, 1530 nm, SMF 80 km, Standard Temperature (0 through 70 DEGREE C), Duplex LC connector
EX-SFP-GE80KCW1550	189,720	SFP, 1000BASE-LX, 1550 nm, SMF 80 km, Standard Temperature (0 through 70 DEGREE C), Duplex LC connector
EX-SFP-GE80KCW1570	189,660	SFP, 1000BASE-LX, 1570 nm, SMF 80 km, Standard Temperature (0 through 70 DEGREE C), Duplex LC connector
EX-SFP-GE80KCW1590	189,720	SFP, 1000BASE-LX, 1590 nm, SMF 80 km, Standard Temperature (0 through 70 DEGREE C), Duplex LC connector
EX-SFP-GE80KCW1610	188,820	SFP, 1000BASE-LX, 1610 nm, SMF 80 km, Standard Temperature (0 through 70 DEGREE C), Duplex LC connector
EX-XFP-10GE80KDWDM	2,268,000	10GE DWDM XFP, Tunable Across C-band 50 Ghz Channel Spacing (compliant with ITU-T G.698.1) for 80 km Transmission on SMF
EX-QSFP-40GE-DAC-50CM	14,880	QSFP+ 40 Gigabit Ethernet Direct Attach Copper (Twinax Copper Cable) for 50cm Transmission
JNP-QSFP-40G-LR4	260,940	QSFP+, 40GBASE-LR4 for Switching Platforms, SMF 10 km, Standard Temperature (0 through 70 DEGREE C), Duplex LC connector
QFX-QSFP-40G-SR4	49,380	QSFP+, 40GBASE-SR4 for Switching Platforms, MMF OM3 100 meters and OM4 150 meters, Standard Temperature (0 through 70 DEGREE C), MPO-12 connector

EX Series Switch 配件類價格表

產品料號	建議售價	產品說明
Spares (他項配件)		
EX-RMK2	4,560	Rack Mount Kit for EX2200-C
EX-CBL-CON-USB	3,900	Console Cable with USB Type A and Mini-B Connectors for EX2200-C
EX-CBL-GRD	3,900	Cable Guard for EX2200-C
EX-MGNT-MNT	4,560	Magnet Mount for EX2200-C and WLC100
EX-RMK	7,800	EX Series Rack Mount Kit
EX-4PST-RMK	33,060	Rack Mount Kit, 4-Post Adjustable for EX2200, EX3200, EX3300 and EX4200
EX-4PST-RMK-DPX	33,060	EX Series 4-Post Rack Mount Kit for iDataplex Environment, EX2200, EX3200, EX4200
EX4300-FAN	34,680	EX4300, Fan Spare
EX4300-FAN-AFI	34,680	EX4300, Fan with Airflow-In (Spare)
EX4300-UM-BLNK	34,680	EX4300 blank faceplate for uplink module
EX-MOD-RMK-4POST	29,160	EX modular rack mount kit for EX6200 and EX8200, spare
EX-UM-BLNK	3,900	EX 4200 and EX 3200 blank faceplate for Uplink Module slot (Spare)
EX-WMK	14,880	EX4200 and EX3200 Wall Mount Kit
EX-WMK-BFL	14,880	EX4200, EX3200, EX3300 and EX2200 Wall Mount Kit with Baffle
EX9200-LC-SF-BLANK	34,980	EX9200, Line Card, Switch Fabric Blank Cover Panel, Spare
EX9200-RE-BLANK	21,060	EX9200, RE Blank Cover Panel, Spare
EX9204-CHAS-S	2,187,000	EX9204, 4-Slot Chassis with Passive Midplane
EX9204-CHAS3-S	1,749,600	EX9204 Chassis 3 with Passive Midplane
EX9208-CHAS-S	2,187,000	EX9208, 8-Slot Chassis with Passive Midplane
EX9208-CHAS3-S	1,749,600	EX9208 Chassis 3 with Passive Midplane
EX9214-CHAS3-S	1,749,600	EX9214, 14-Slot Chassis with Passive Midplane
FFANTRAY-MX240-HC-S	213,840	MX240 High Capacity fantray, Spare
FFANTRAY-MX480-HC-S	213,840	MX480 High Capacity fantray, Spare
FFANTRAY-MX960-HC-S	213,840	MX960 High Capacity fantray (upper or lower), Spare
FFILTER-MX960-HC-S	110,160	MX960 Filter tray for high-capacity fantray, Spare
FLTR-KIT-MX240-S	110,160	MX240 Air Filter, Spare
FLTR-KIT-MX480-S	110,160	MX480 Air Filter, Spare
Power Cables (電源線)		
CBL-EX-PWR-C13-TW	4,200	AC Power Cable - Taiwan (10A/125V, 2.5m)
CBL-EX-PWR-C13-US	3,900	Power Cable, US
CBL-EX-PWR-C19-TW	4,200	AC Power Cable - Taiwan (16A/250V, 2.5m)
CBL-EX-PWR-C19-US	10,380	AC Power Cable - US (NEMA 6-20 16A/250V, 2.5m)
CBL-EX-PWR-C19-US110V	4,200	AC Power Cable - US 110V (NEMA 5-15 15A/125V, 2.5M)
CBL-EX-PWR-C19-US15	4,200	AC Power Cable - US 110V (NEMA 5-15 15A/125V, 2.5m)
CBL-EX-PWR-C19-US20	3,900	AC Power Cable - US 110V (NEMA 5-20 20A/125V, 2.5m)
CBL-EX-PWR-C19-USL	8,100	AC Power Cable - US (NEMA L6-20 16A/250V, 2.5m)
CBL-M-PWR-RA-TWLK-US	5,820	AC Power Cable, US, Right Angle, Twist Lock, M120/M320/MX960
CBL-M-PWR-RA-US	5,820	M320 AC Power Cable, US, Right Angle
CBL-PWR-RA-TWLK-US15	4,860	NEMA L5-15P (twist lock) 15A/125V 2.5m length for U.S., Canada, Mexico
CBL-PWR-RA-US15	5,820	NEMA 5-15 15A/125V 2.5m length for North America, parts of South America, Central America, and Asia
CBL-PWR-C15M-HITEMP-US	6,480	Power Cord, AC, US/Canada, C15M, 13A/125V, 2.5m, Straight Nema N5-15 to straight high temp C15M

QFX 功能對照表

QFX 系列	QFX5100-48S	QFX5100-24Q	QFX5100-96S
設備機架高度	1U		2U
可選購上行連接網路介面	-NA-	1/10G & 40G	-NA-
可擴充 I/O 插槽		2	
封包交換能力	1.44 Tbps	2.56 Tbps	
Layer2 處理效能 (Wire Speed)	1.08 Bpps	1.44 Bpps	
10G SFP 埠密度 (使用拆分線)	48 (72)	96 (104)	96 (104)
40G SFP 埠密度	6	32	8
2/4/8G FC 埠密度 (10G/FC 二擇一)	0		
Jumbo Frames	9216 Bytes		
IPv4 Unicast / Multicast Routes	208,000 / 104,000		
IPv6 Unicast / Multicast Routes	104,000 / 52,000		
VLANs	4,096		
靜態 MAC 位址數	288 K		
支援堆疊數量 (VC)	10		
支援虛擬機箱陣列 (VCF)	Yes		

QFX Switch 產品介紹

- 適合應用於資料中心交換架構的通用建構模組，提供包羅萬象的部署選項，包括 fabric、Layer 3，以及 spine and leaf 等架構。
- 提供 10GbE 和 40GbE 固定配置選項，以及豐富的 Layer 2、Layer 3 和 MPLS 特性，具備高速 uplinks、容易設定。
- 利用虛擬機箱 (Virtual Chassis) 技術，最多可與 10 台不同機型 QFX 或 EX4300 乙太網路交換器相互連接，以建立單一虛擬交換器，可支援高達 960 個 10GbE 埠或 240 個 40GbE 埠，再加上額外的 10 GbE 或 40GbE 上傳埠。
- 高效能乙太網路核心交換器。針對 40 Gigabit 和高密度 10Gigabit 乙太網路提供最佳化設計，滿足最高需求的應用。最適合部署於要求零中斷連線的資料中心應用，及要求高效能、安全性和細部分級控制能力的雲端環境。
- 資料分析所需的洞察技術 (Insight Technology for Analytics)：QFX5100 可以 10 毫秒的間隔，監視並報告動態的緩衝區利用率，以提供 microburst 和延遲洞察力。

QFX 價格表

產品料號	建議售價	產品說明
QFX5100 價格表		
Base System		
QFX5100-48S-AFO	3,063,600	QFX5100, 48 SFP+/SFP ports, 6 QSFP ports, redundant fans, redundant power supplies, Built in Port to PSU air flow.
QFX5100-48T-AFO	3,063,600	QFX5100, 48 100M/1G/10G Base-T, 6 QSFP ports, redundant fans, redundant power supplies, Built in Port to PSU air flow.
QFX5100-48S-3AFO	3,063,600	QFX5100, 48 SFP+/SFP ports, 6 QSFP+ ports, redundant fans, 2 AC power supplies, front to back airflow
QFX5100-48S-DC-AFO	3,241,200	QFX5100, 48 SFP+/SFP ports, 6 QSFP ports, redundant fans, redundant power supplies, Built in Port to PSU air flow.
QFX5100-48T-DC-AFO	3,241,200	QFX5100, 48 100M/1G/10G Base-T, 6 QSFP ports, redundant fans, redundant power supplies, Built in Port to PSU air flow.

QFX 價格表

產品料號	建議售價	產品說明
QFX5100-48S-D-3AFO	3,241,200	QFX5100, 48 SFP+/SFP ports, 6 QSFP+ ports, redundant fans, 2 DC power supplies, front to back airflow
QFX5100-24Q-AFO	4,084,800	QFX5100, 24 QSFP ports, 2 expansion slots, redundant fans, redundant power supplies Built in Port to PSU air flow
QFX5100-24Q-DC-AFO	4,262,400	QFX5100, 24 QSFP ports, 2 expansion slots, redundant fans, redundant power supplies, Built in Port to PSU air flow.
QFX5100-24Q-D-3AFO	4,262,400	QFX5100, 24 QSFP+ ports, 2 expansion slots, redundant fans, 2 DC power supplies, front to back airflow
QFX5100-24Q-3AFO	4,084,800	QFX5100, 24 QSFP+ ports, 2 expansion slots, redundant fans, 2 AC power supplies, front to back airflow
QFX5100-96S-AFO	4,395,600	QFX5100, 96 1/10G SFP+, 8 40G QSFP ports, redundant fans and PSUs, AC, Front to Back airflow
QFX5100-96S-DC-AFO	4,573,200	QFX5100, 96 1/10G SFP+, 8 40G QSFP ports, redundant fans and PSUs DC, Front to Back airflow

QFX5110 價格表

Base System

QFX5110-48S-AFO2	1,536,240	48 SFP+ and 4 QSFP28, front to back air flow, AC
QFX5110-48S-AFI2	1,536,240	48 SFP+ and 4 QSFP28, back to front air flow, AC
QFX5110-48S-D-AFI2	1,589,520	48 SFP+ and 4 QSFP28, back to front air flow, DC
QFX5110-48S-D-AFO2	1,589,520	48 SFP+ and 4 QSFP28, front to back air flow, DC
QFX5110-32Q-AFI2	1,864,800	32 QSFP+/20 QSFP+ QSFP28, back to front air flow, AC
QFX5110-32Q-AFO2	1,864,800	32 QSFP+/20 QSFP+ QSFP28, front to back air flow, AC
QFX5110-32Q-D-AFI2	1,909,200	32 QSFP+/20 QSFP+ QSFP28, back to front air flow, DC
QFX5110-32Q-D-AFO2	1,909,200	32 QSFP+/20 QSFP+ QSFP28, Front to Back air flow, DC

QFX5120 價格表


Base System

QFX5120-48Y-AFI2	2,148,960	QFX5120-48Y, airflow in, redundant AC PSUs and FANs Ships with base S/W features.
QFX5120-48Y-AFO2	2,148,960	QFX5120-48Y, airflow out, redundant AC PSUs and FANs Ships with base S/W features.
QFX5120-48Y-D-AFI2	2,264,400	QFX5120-48Y, airflow in, redundant DC PSUs and FANs Ships with base S/W features.
QFX5120-48Y-D-AFO2	2,264,400	QFX5120-48Y, airflow out, redundant DC PSUs and FANs Ships with base S/W features.
QFX5120-48YM-AFI	2,397,600	QFX5120, MACsec AES-256, 48x25G+8x100G 1U AC PSU side intake and port side exhaust
QFX5120-48YM-AFO	2,397,600	QFX5120, MACsec AES-256, 48x25G+8x100G 1U AC port side intake and PSU side exhaust
QFX5120-48YM-DC-AI	2,526,400	QFX5120, MACsec AES-256, 48x25G+8x100G 1U DC PSU side intake and port side exhaust
QFX5120-48YM-DC-AO	2,526,400	QFX5120, MACsec AES-256, 48x25G+8x100G 1U DC port side intake and PSU side exhaust
QFX5120-48T-AFI	2,131,200	48X10GT+6X100G 1U AC PSU side intake and port side exhaust
QFX5120-48T-AFO	2,131,200	48X10GT+6X100G 1U AC port side intake and PSU side exhaust
QFX5120-48T-DC-AFI	2,175,600	48X10GT+6X100G 1U DC PSU side intake and port side exhaust
QFX5120-48T-DC-AFO	2,175,600	48X10GT+6X100G 1U DC port side intake and PSU side exhaust
QFX5120-32C-AFI	2,344,320	32x100G 1U AC PSU Side Intake and Port Side Exhaust
QFX5120-32C-AFO	2,344,320	32x100G 1U AC port Side Intake and PSU Side Exhaust
QFX5120-32C-DC-AFI	2,495,280	32x100G 1U DC PSU Side Intake and Port Side Exhaust
QFX5120-32C-DC-AFO	2,495,280	32x100G 1U DC port Side Intake and PSU Side Exhaust

QFX 價格表

產品料號	建議售價	產品說明
QFX5130 價格表		
Base System		
QFX5130-32CD-AFI	6,216,000	32 X 400G 1U PSU side intake and port side exhaust
QFX5130-32CD-AFO	6,216,000	32 X 400G 1U port side intake and PSU side exhaust
QFX5130-32CD-D-AFI	6,571,200	32 X 400G 1U PSU side intake and port side exhaust, DC
QFX5130-32CD-D-AFO	6,571,200	32 X 400G 1U port side intake and PSU side exhaust, DC
QFX5200 價格表		
Base System		
QFX5200-32C-AFI2	2,202,240	QFX5200, 32 QSF+ ports, redundant fans, 2 AC power supplies, back to front airflow, FLEX TRANSFORM
QFX5200-32C-AFO2	2,202,240	QFX5200, 32 QSF+ ports, redundant fans, 2 AC power supplies, front to back airflow, FLEX TRANSFORM
QFX5200-32C-D-AFI2	2,335,440	QFX5200, 32 QSF+ ports, redundant fans, 2 DC power supplies, back to front airflow, FLEX TRANSFORM
QFX5200-32C-D-AFO2	2,335,440	QFX5200, 32 QSF+ ports, redundant fans, 2 DC power supplies, front to back airflow, FLEX TRANSFORM
QFX5210 價格表		
Base System		
QFX5210-64C-AFI2	3,552,000	64 QSFP28 and 2 SFP+, Back to Front, AC, FLEX TRANSFORM
QFX5210-64C-D-AFI2	3,729,600	64 QSFP28 and 2 SFP+, Back to Front, DC, FLEX TRANSFORM
QFX5210-64C-AFO2	3,552,000	64 QSFP28 and 2 SFP+, Front to Back, AC, FLEX TRANSFORM
QFX5210-64C-D-AFO2	3,729,600	64 QSFP28 and 2 SFP+, Front to Back, DC, FLEX TRANSFORM
QFX5220 價格表		
Base System		
QFX5220-32CD-AFI	5,328,000	32 x 400G 1U system with dual AC PSUs and Air Flow in
QFX5220-32CD-AFO	5,328,000	32 x 400G 1U system with dual AC PSUs and Air Flow out
QFX5220-32CD-D-AFI	5,550,000	32 x 400G 1U system with dual DC PSUs and Air Flow in
QFX5220-32CD-D-AFO	5,550,000	32x400G DC Airflow out
QFX5220-128C-AFO	7,814,400	128 x 100G 4U system with dual AC PSUs and Air Flow out
QFX5220-128C-D-AFO	8,107,440	128 x 100G 4U system with dual DC PSUs and Air Flow out
QFX10000 價格表		
Base System		
QFX10002-36Q	call	QFX10002 System with 36-Port 40G QSFP+ / 12-port 100G QSFP28 / 144-Port 10G SFP+ with 2 1600W AC Power Supplies, 2 Power Cables and 3 Fan Trays
QFX10002-36Q-DC	call	QFX10002 System with 36-port 40G QSFP+ / 12-port 100G QSFP28 / 144-port 10G SFP+ with 2 1600W DC Power Supplies, 2 power cables and 3 Fan Trays
QFX10002-72Q	call	QFX10002 System with 72-Port 40G QSFP+ / 24-Port 100G QSFP28 / 288-Port 10G SFP+ with 4 1600W AC Power Supplies, 4 Power Cables and 3 Fan Trays
QFX10002-72Q-DC	call	QFX10002 System with 72-port 40G QSFP+ / 24-port 100G QSFP28 / 288-port 10G SFP+ with 4 1600W DC Power Supplies, 4 power cables and 3 Fan Trays
QFX10008-BASE	call	QFX10008 Base 8-slot chassis with 1 Routing Engine, 3 2700W AC Power Supplies, 2 Fan trays, 2 Fan tray Controllers and 5 Switch Fabric Cards
QFX10008-REDUND	call	QFX10008 Redundant 8-slot chassis with 2 Routing Engines, 6 2700W AC Power Supplies, 2 Fan trays, 2 Fan tray Controllers and 6 Switch Fabric Cards
QFX10016-REDUND	call	QFX10016 Redundant 16-slot chassis with 2 Routing Engines, 10 2700W AC Power Supplies, 2 Fan trays, 2 Fan tray Controllers and 6 Switch Fabric Cards
QFX10016-BASE	call	QFX10016 Base 16-slot chassis with 1 Routing Engine, 5 2700W AC Power Supplies, 2 Fan trays, 2 Fan tray Controllers and 5 Switch Fabric Cards
QFX10016-REDUND-DC	call	QFX10016 Redundant 16-slot chassis with 2 Routing Engines, 10 2500W DC Power Supplies, 2 Fan trays, 2 Fan tray Controllers and 6 Switch Fabric Cards

SRX 系列



SRX 功能對照表

	SRX110	SRX300	SRX320	SRX340
固定 I/O 埠	<ul style="list-style-type: none"> • 8 x 10/100BASE-T • 1 x 3G USB port • VDSL2/ADSL2+ dedicated • WAN (Annex A or Annex B) 	<ul style="list-style-type: none"> • 6 x 1000BASE-T • 2 x 1G SFP 	<ul style="list-style-type: none"> • 6 x 1000BASE-T • 2 x 1G SFP 	<ul style="list-style-type: none"> • 8 x 10/100/ 1000BASE-T • 8 x 1G SFP
WAN/LAN 介面選項	N/A	N/A	<ul style="list-style-type: none"> • T1/E1 • VDSL2 Annex A/M • Sync Serial 	<ul style="list-style-type: none"> • T1/E1 • VDSL2 Annex A/M • Sync Serial
MAX THROUGHPUT	700Mbps	1Gbps	1Gbps	3Gbps
MAX SESSION	32,000	64,000	64,000	256,000
NEW SESSION / Second	1,800	5,000	5,000	10,000

	SRX345	SRX380	SRX550-M
固定 I/O 埠	<ul style="list-style-type: none"> • 8 x 10/100/ 1000BASE-T • 8 x 1G SFP 	<ul style="list-style-type: none"> • 16 x 1000BASE-T • 4 x SFP+ 	<ul style="list-style-type: none"> • 6 x 10/100/ 1000BASE-T • 4 x SFP
WAN/LAN 介面選項	<ul style="list-style-type: none"> • T1/E1 • VDSL2 Annex A/M • Sync Serial 	<ul style="list-style-type: none"> • T1/E1 • VDSL2 Annex A/M • Sync Serial • 4G LTE wireless • 802.11ac Wave 2 Wi-Fi 	<ul style="list-style-type: none"> • 1 x DS3/E3 • Dual Port T1/E1 • Quad Port T1/E1 • 16 x 1 10/100/1000 copper (PoE optional) • 24 x 1 10/100/1000 copper w / 4SFP ports (PoE optional) • 2 x 10 GbE SFP+ / 10 GbE Base-T Copper
MAX THROUGHPUT	5Gbps	10Gbps	7Gbps
MAX SESSION	375,000	380,000	375,000
NEW SESSION / Second	15,000	50,000	27,000

SRX 功能對照表

	SRX1400	SRX1500	SRX3400
固定 I/O 埠	<ul style="list-style-type: none"> • GE Base System 6 10/100/1000 RJ45 + 4 1000Base-X SFP + 2 1000Base-X SFP shared as data or clustering control • XGE Base System 3 10GBase-X SFP plus + 6 10/100/1000 RJ45 + 1 1000Base-X SFP + 2 1000Base-X SFP shared as data or clustering control 	<ul style="list-style-type: none"> • 12 x 10/100/1000 RJ45 • 4 x 1000 SFP • 4 x 10G SFP+ 	8 10/100/1000 + 4 SFP
WAN/LAN 介面選項	<ul style="list-style-type: none"> • 16 x 10/100/1000 RJ45 • 16 x 1000Base-X SFP • 2 x 10GBase-X XFP 		<ul style="list-style-type: none"> • 16 x 1 10/100/1000 copper • 16 x 1 Gigabit Ethernet small form-factor pluggable transceivers (SFP) • 2 x 10 Gigabit Ethernet XFP
MAX THROUGHPUT	10Gbps	10Gbps	30Gbps
MAX SESSION	1,500,000	2,000,000	3,000,000
NEW SESSION / Second	70,000	50,000	150,000

	SRX3600	SRX4100	SRX4200	SRX4650
固定 I/O 埠	8 10/100/1000 + 4 SFP	• 8 x 1/10G SFP+	• 8 x 1/10G SFP+	• 8 x 10G SFP+ • 4 x 40/100G QSFP28
WAN/LAN 介面選項	<ul style="list-style-type: none"> • 16 x 10/100/1000 RJ45 • 16 x 1000Base-X SFP • 2 x 10GBase-X XFP 	-NA-	-NA-	-NA-
MAX THROUGHPUT	55Gbps	40Gbps	80Gbps	95Gbps
MAX SESSION	6,000,000	5,000,000	10,000,000	60,000,000
NEW SESSION / Second	270,000	250,000	500,000	600,000

	SRX5400	SRX5600	SRX5800
固定 I/O 埠	N/A	N/A	N/A
WAN/LAN 介面選項	<ul style="list-style-type: none"> • 10 x 10-Gigabit Ethernet IOCII • 2 x 40-Gigabit Ethernet IOCII • 1 x 100-Gigabit Ethernet IOCII 	<ul style="list-style-type: none"> • 40 x 1 Gigabit Ethernet SFP • 4 x 10 Gigabit Ethernet (short reach (SR) or long reach (LR)) • 16 x 10/100/1000 Ethernet FlexIOC • 4 x 10 Gigabit Ethernet (SR or LR) FlexIOC 	<ul style="list-style-type: none"> • 40 x 1 Gigabit Ethernet SFP • 4 x 10 Gigabit Ethernet (short reach (SR) or long reach (LR)) • 16 x 10/100/1000 Ethernet FlexIOC • 4 x 10 Gigabit Ethernet (SR or LR) FlexIOC
MAX THROUGHPUT	65 Gbps	130Gbps	300Gbps
MAX SESSION	28,000,000	100,000,000	100,000,000
NEW SESSION / Second	450,000	450,000	450,000

SRX 價格表 (安全路由閘道)

產品料號	建議售價	產品說明
SRX100/200/300/500		
SRX100/200/300/500 Base Systems		
SRX300	56,160	SRX300 (Hardware Only, require SRX300-JSB or SRX300-JSE to complete the System) with 8GE (w 2x SFP), 4G RAM, 8G Flash. Includes external power supply and cable. RMK not included
SRX300-JSB	35,200	SRX300 Junos Software Base with Firewall, NAT, IPSec, Routing, MPLS and Switching Services (must order SRX300 to complete the system)
SRX300-JSB-L	17,600	SRX300 Junos Software Base with performance limited to 200Mbps of Routing / Firewall and 40 Mbps of IPSec or IPS performance. Includes MPLS services (must order SRX300 to complete the system)
SRX300-JSE	78,400	SRX300 Junos Software Enhanced with Firewall, NAT, IPSec, Routing, Switching, MPLS and Application Security Services (must order SRX300 to complete the system)
SRX320	103,680	SRX320 (Hardware Only, require SRX320-JSB or SRX320-JSE to complete the System) with 8GE (w 2x SFP), 4G RAM, 8G Flash and 2x MPIM slots. Includes external power supply and cable. RMK not included
SRX320-JSB	35,200	SRX320 Junos Software Base with Firewall, NAT, IPSec, Routing, MPLS and Switching Services (must order SRX320 to complete the system)
SRX320-JSB-L	17,600	SRX320 Junos Software Base with performance limited to 200Mbps of Routing / Firewall and 40 Mbps of IPSec or IPS performance. Includes MPLS services (must order SRX300 to complete the system)
SRX320-JSE	78,400	SRX320 Junos Software Enhanced with Firewall, NAT, IPSec, Routing, Switching, MPLS and Application Security Services (must order SRX320 to complete the system)
SRX320-POE	155,520	SRX320 (Hardware Only, require SRX320-JSB or SRX320-JSE to complete the System) with 8GE (w 2x SFP), 4G RAM, 8G Flash, 2x MPIM slots and 6x GE POE+ ports. Includes external power supply and cable. RMK not included
SRX340	216,000	SRX340 (Hardware Only, require SRX340-JSB or SRX340-JSE to complete the System) with 16GE (w 8x SFP), 4G RAM, 8G Flash and 4x MPIM slots. Includes internal power supply, cable and RMK
SRX340-JSB	78,400	SRX340 Junos Software Base with Firewall, NAT, IPSec, Routing, MPLS and Switching Services (must order SRX340 to complete the system)
SRX340-JSE	160,000	SRX340 Junos Software Enhanced with Firewall, NAT, IPSec, Routing, Switching, MPLS and Application Security Services (must order SRX340 to complete the system)
SRX345	267,840	SRX345 (Hardware Only, require SRX345-JSB or SRX345-JSE to complete the System) with 16GE (w 8x SFP), 4G RAM, 8G Flash and 4x MPIM slots. Includes internal power supply, cable and RMK
SRX345-JSB	152,000	SRX345 Junos Software Base with Firewall, NAT, IPSec, Routing, MPLS and Switching Services (must order SRX345 to complete the system)
SRX345-JSE	256,000	SRX345 Junos Software Enhanced with Firewall, NAT, IPSec, Routing, Switching, MPLS and Application Security Services (must order SRX345 to complete the system)
SRX380-P-CHAS	1,122,800	SRX380 Chassis only does not include power supplies, cables or RMK
SRX380-P-SYS-JB-AC	1,122,800	SRX380 Services Gateway includes hardware (16GE POE+, 4x10GE SFP+, 4x MPIM slots, 4G RAM, 100GB SSD, Single AC power supply, cable and RMK) and Junos Software Base (Firewall, NAT, IPSec, Routing, MPLS and Switching)
SRX550-645AP-M	933,120	SRX550 Services Gateway with 4G DRAM, 8G CF and 1 AC PSU
SRX550-645DP-M	933,120	SRX550 Services Gateway with 4G DRAM, 8G CF and 1 DC PSU

SRX 價格表 (安全路由閘道)

產品料號	建議售價	產品說明
SRX300/550 Interface Modules (介面模組)		
SRX-MP-LTE-AA	103,680	4G / LTE MPIM support 1, 3, 5, 7-8, 18-19, 21, 28, 38-41 LTE bands (for Asia and Australia)
SRX-MP-LTE-AE	103,680	4G / LTE MPIM support 1-5, 7-8, 12-13, 20, 25-26, 29-30, 41 LTE bands (for Americas and EMEA)
SRX-GP-16GE-POE	328,320	POE Ethernet Switch 16-port 10/100/1000Base-T XGPIM. Supports up to 16 ports POE. Double-High uses 2 GPIM Slots. 20Gbps or 1Gbps Slot Connection.
SRX-GP-1DS3-E3	794,880	1-Port Clear Channel DS3/E3 GPIM for SRX Branch Services Products
SRX-GP-8SFP	328,320	8-Port GE SFP G/XPIM for SRX Platforms
SRX-GP-DUAL-T1-E1	155,520	Dual T1/E1 - 2-port - GPIM. PIM for SRX 650. Single PIM Slot.
SRX-GP-QUAD-T1-E1	267,840	Quad T1/E1 - 4-port - GPIM. PIM for SRX 650. Single PIM Slot.
SRX300/500/600 Accessories (配件)		
SRX300-PWR-60W	19,040	60W power adapter for SRX300. Power adapter only, power cable need to be ordered separately
SRX300-RMK0	14,720	SRX300 rack mount kit with adaptor tray
SRX300-RMK1	9,520	SRX300 rack mount kit without adaptor tray
SRX300-WALL-KIT0	9,520	SRX300 wall mount kit with brackets
SRX320-RMK0	14,720	SRX320 rack mount kit with adaptor tray
SRX320-RMK1	9,520	SRX320 rack mount kit without adaptor tray
SRX320-WALL-KIT0	9,520	SRX320 wall mount kit with brackets
SRX320-P-RMK0	14,720	SRX320-POE rack mount kit with adaptor tray
SRX320-P-RMK1	9,520	SRX320 POE Rack Mount Kit without Adaptor Tray
SRX320-PWR-75W	28,480	75W power adapter for SRX320. Power adapter only, power cable need to be ordered separately
SRX320-P-PWR-280W	46,640	280W power adapter for SRX320-POE. Provide power to 6 POE+ports. Power adapter only, power cable need to be ordered separately
SRX34X-RMK	9,520	SRX340 and SRX345 spare rack mount kit
SRX600-2GB-CF	28,480	SRX600 2GB Compact Flash - Spare
SRX600-PWR-645AC-POE	84,640	645W AC-source power supply for SRX 650. Provides 397W System Power @ 12V and 248W POE Power @ 50VDC. - Works with 90-250VAC input. Does not include Power Cord.
SRX600-PWR-645DC-POE	198,720	645W DC Power Supply for SRX650
SRX650-RMK-01	12,080	Rackmount Kit - Spare - Front or Mid Mount Ears for SRX 650. Spare - One kit included with each Chassis
SRX650-RMK-02	28,480	SRX650 Rear Support Rackmount Kit
SRX500/600 Software License (軟體授權)		
SRX-BGP-ADV-LTU	264,000	Advanced BGP License for SRX 650 only
S-RA3-SRX300-S-1	22,080	SW, Remote Access VPN - Juniper, 25Concurrent Users, Standard, with SVC Customer Support, 1 Year
S-RA3-SRX320-S-1	33,040	SW, Remote Access VPN - Juniper, 50Concurrent Users, Standard, with SVC Customer Support, 1 Year
S-RA3-SRX340-S-1	79,200	SW, Remote Access VPN - Juniper, 150 Concurrent Users, Standard, with SVC Customer Support, 1 Year
S-RA3-SRX345-S-1	100,000	SW, Remote Access VPN - Juniper, 250Concurrent Users, Standard, with SVC Customer Support, 1 Year
S-RA3-SRX380-S-1	272,000	SW, Remote Access VPN - Juniper, 500Concurrent Users, Standard, with SVC Customer Support, 1 Year
S-RA3-5CCU-S-1	8,000	SW, Remote Access VPN - Juniper, 5 Concurrent Users, Standard, with SVC Customer Support, 1 Year

SRX 價格表 (安全路由閘道)

產品料號	建議售價	產品說明
S-RA3-25CCU-S-1	34,000	SW, Remote Access VPN - Juniper, 25 Concurrent Users, Standard, with SVC Customer Support, 1 Year
S-RA3-50CCU-S-1	60,000	SW, Remote Access VPN - Juniper, 50 Concurrent Users, Standard, with SVC Customer Support, 1 Year
S-RA3-100CCU-S-1	104,000	SW, Remote Access VPN - Juniper, 100 Concurrent Users, Standard, with SVC Customer Support, 1 Year
S-RA3-250CCU-S-1	200,000	SW, Remote Access VPN - Juniper, 250 Concurrent Users, Standard, with SVC Customer Support, 1 Year
S-RA3-500CCU-S-1	320,000	SW, Remote Access VPN - Juniper, 500 Concurrent Users, Standard, with SVC Customer Support, 1 Year
SRX1500		
SRX1500 Base Systems (設備主體)		
SRX1500-AC	1,101,120	SRX1500 with 16x1G, 4x10G (SFP+) on-board ports, 1x AC PSU and 100GB SSD
SRX1500-DC	1,101,120	SRX1500 with 16x1G, 4x10G (SFP+) on-board ports, 1x DC PSU and 100GB SSD
SRX1500-JSE	992,000	SRX1500 Juniper Secure Edge software with Firewall, NAT, IPSec, Routing, Switching, MPLS and Application Security services (require SRX1500-AC or SRX1500-DC to complete the system)
SRX1500 Spares (他項配件)		
JPSU-400W-AC	150,960	Juniper Power Supply Unit, 400W AC, Slim 1RU Form Factor
JSU-SSD-MLC-120	204,240	Juniper Storage Unit, SSD, MLC, 120GB
SRX1500-RMK	20,400	SRX1500 19inch rack mount kit
SRX4000		
SRX4000 Base Systems (設備主體)		
SRX4100-AC	call	SRX4100 hardware with two AC PSU, Four Fan Trays, RMK (hardware only, must order SRX4100-JSB/SRX4100-JSE software to complete system)
SRX4100-DC	call	SRX4100 hardware with two DC PSU, Four Fan Trays, RMK (hardware only, must order SRX4100-JSB/SRX4100-JSE software to complete system)
SRX4200-AC	call	SRX4200 hardware with two AC PSU, Four Fan Trays, RMK (hardware only, must order SRX4200-JSB/SRX4200-JSE software to complete system)
SRX4200-DC	call	SRX4200 hardware with two DC PSU, Four Fan Trays, RMK (hardware only, must order SRX4200-JSB/SRX4200-JSE software to complete system)
SRX4600-AC	call	SRX4600 Services Gateway with 8x10GE and 4x40GE ports, AC
SRX4600-DC	call	SRX4600 Services Gateway with 8x10GE and 4x40GE ports, DC
SRX5000		
SRX5000 Base Systems (設備主體)		
SRX5400X-B10-AC	call	SRX5400X AC bundle with 1X SPC3, 1X 40G/10G IOC3 card, 1X Enhanced mid plane base, including fans, AC power entry module, craft interface (SRX5400X-BASE), 1X 3rd gen service processing card (SRX5K-SPC3), 1X 3rd gen IO card (SRX5K-MPC3-40G10G)
SRX5400X-B10-DC	call	SRX5400X DC bundle with 1X SPC3, 1X 40G/10G IOC3 card, 1X Enhanced mid plane base, including fans, DC power entry module, craft interface (SRX5400X-BASE), 1X 3rd gen service processing card (SRX5K-SPC3), 1X 3rd gen IO card (SRX5K-MPC3-40G10G)
SRX5600X-B10-AC	call	SRX5600X AC bundle with 2X SPC3, 1X 40G/10G IOC3 card, 1X Enhanced mid plane base, including fans, AC power entry module, craft interface (SRX5600X-BASE), 2X 3rd gen service processing card (SRX5K-SPC3), 1X 3rd gen IO card (SRX5K-MPC3-40G10G)
SRX5600X-B10-DC	call	SRX5600X DC Bundle with 2X SPC3, 1X 40G/10G IOC3 Card, 1X Enhanced mid plane base, including fans, DC power entry module, craft interface (SRX5600X-BASE), 2X 3rd Gen Service Processing card (SRX5K-SPC3), 1X 3rd gen IO card (SRX5K-MPC3-40G10G)

SRX 價格表 (安全路由閘道)

產品料號	建議售價	產品說明
SRX5800X-B10-AC	call	SRX5800X AC bundle with 2X SPC3, 1X 40G/10G IOC3 card, 1X Enhanced mid plane base, including fans, AC power entry module, craft interface (SRX5800X-BASE), 2X 3rd gen service processing card (SRX5K-SPC3), 1X 3rd gen IO card (SRX5K-MPC3-40G10G)
SRX5800X-B10-DC	call	SRX5800X DC bundle with 1X SPC3, 1X 40G/10G IOC3 card, 1X Enhanced mid plane base, including fans, DC power entry module, craft interface (SRX5800X-BASE), 2X 3rd gen service processing card (SRX5K-SPC3), 1X 3rd gen IO card (SRX5K-MPC3-40G10G)
SRX5000 Components (設備組成原件)		
SRX-MIC-2X40G-QSFP	9,990,000	MIC with 2x40GE QSFP+ Interfaces, Requires SRX5K-MPC, Requires Junos release 12.1X46-D10 or greater, Optics sold separately
SRX-MIC-10XG-SFP	9,990,000	MIC with 10x10GE SFP+ Interfaces, Requires SRX5K-MPC, Requires Junos release 12.1X46-D10 or greater, Optics sold separately
SRX-MIC-1X100G-CFP	9,990,000	MIC with 1x100GE CFP Interface, Requires SRX5K-MPC, Requires Junos release 12.1X46-D10 or greater, Optics sold separately
SRX5000 Software License (軟體授權)		
SRX-5400-LSYS-1	128,000	SRX5400 1 Incremental Logical Systems License
SRX-5400-LSYS-5	632,000	SRX5400 5 Incremental Logical Systems License
SRX-5400-LSYS-25	2,104,000	SRX5400 25 Incremental Logical Systems License
SRX-5600-LSYS-1	128,000	SRX5600 1 Incremental Logical Systems License
SRX-5600-LSYS-5	632,000	SRX5600 5 Incremental Logical Systems License
SRX-5600-LSYS-25	2,144,000	SRX5600 25 Incremental Logical Systems License
SRX-5800-LSYS-1	128,000	SRX5800 1 Incremental Logical Systems License
SRX-5800-LSYS-5	632,000	SRX5800 5 Incremental Logical Systems License
SRX-5800-LSYS-25	2,144,000	SRX5800 25 Incremental Logical Systems License
SRX5000 Spares (他項配件)		
SRX5400-CHAS	3,108,000	SRX5400 chassis, backplane installed, no fan, no power supply
SRX5400-CRAFT	301,920	SRX5400 Craft Interface
SRX5400-FAN	301,920	SRX5400 Fan Tray
SRX5400-FLTR	150,960	SRX5400 Replacement Fan Filter
SRX5600-CHAS	3,108,000	SRX5600 chassis, backplane installed, Fan tray not included
SRX5600-CRAFT	377,440	SRX5600 Craft Interface
SRX5600-HC-FAN	301,920	SRX5600 High Capacity Fan, Requires JUNOS 12.1X44-D10 onwards
SRX5600-FLTR	150,960	SRX5600 replacement fan filter
SRX5600-PWR-2400-DC-S	497,280	SRX5400/5600 High Capacity DC Power supply for 2400W, Requires JUNOS 12.1X44-D10 onwards
SRX5600-PWR-2520-AC-S	497,280	SRX5400/5600 High Capacity AC Power supply for 2520W, Requires JUNOS 12.1X44-D10 onwards
SRX5800-CHAS	3,108,000	SRX5800 chassis, backplane installed, Fan trays not included
SRX5800-CRAFT	377,440	SRX5800 Craft Interface
SRX5800-HC-FAN	301,920	SRX5800 high capacity fan tray, Requires JUNOS 12.1X44-D10 onwards
SRX5800-HC-FLTR	150,960	SRX5800 high capacity fan filter, Requires JUNOS 12.1X44-D10 onwards
SRX5800-PWR-4100-AC	497,280	SRX5800 high capacity AC power supply, Requires JUNOS 12.1X44-D10 onwards
SRX5800-PWR-4100-DC-S	497,280	SRX5800 High Capacity DC Power supply for 4200W, Requires JUNOS 12.1X44-D10 onwards

SRX 價格表 (安全路由閘道)

產品料號	建議售價	產品說明
SRX Series Security License Key (SRX 各系列資安功能軟體授權)		
SRX550-ATP-1	110,000	1 Year Subscription for Sky Advanced Threat Prevention on SRX550
SRX1XX-K-AV	23,760	One year subscription for Juniper-Kaspersky AV updates on SRX 1xx Series
SRX210-K-AV	30,400	One year subscription for Juniper-Kaspersky AV updates on SRX 210
SRX220-K-AV	55,040	One year subscription for Juniper-Kaspersky AV updates on SRX 220
SRX240-K-AV	92,560	One year subscription for Juniper-Kaspersky AV updates on SRX 240
SRX650-K-AV	387,520	One year subscription for Juniper-Kaspersky AV updates on SRX 650
SRX550-K-AV	275,040	One Year Subscription for Juniper-Kaspersky AV Updates on SRX550
SRX1XX-S-AV	25,600	One year subscription for Juniper-Sophos AV updates on SRX 1xx Series
SRX210-S-AV	28,720	One year subscription for Juniper-Sophos AV updates on SRX 210
SRX220-S-AV	58,400	One year subscription for Juniper-Sophos AV updates on SRX 220
SRX240-S-AV	92,560	One year subscription for Juniper-Sophos AV updates on SRX 240
SRX650-S-AV	387,520	One year subscription for Juniper-Sophos AV updates on SRX 650
SRX550-S-AV	275,040	One Year Subscription for Juniper-Sophos AV Updates on SRX550
SRX5400-S-AV-1	1,816,000	One year subscription for Juniper-Sophos AV service on SRX5400
SRX1XX-S2-AS	15,200	One year subscription for Juniper-Sophos Anti-Spam updates on SRX 1xx Series
SRX210-S2-AS	21,600	One year subscription for Juniper-Sophos Anti-Spam updates on SRX 210
SRX220-S2-AS	34,400	One year subscription for Juniper-Sophos Anti-Spam updates on SRX 220
SRX240-S2-AS	55,520	One year subscription for Juniper-Sophos Anti-Spam updates on SRX 240
SRX650-S2-AS	256,000	One year subscription for Juniper-Sophos Anti-Spam updates on SRX 650
SRX550-S2-AS	165,040	One Year Subscription for Juniper-Sophos Anti-Spam Updates on SRX550
SRX5400-S-AS-1	1,512,000	One year subscription for Juniper-Sophos Anti-spam service on SRX5400
SRX1XX-W-EWF	23,760	One year subscription for Juniper-Websense Enhanced Web Filtering updates on SRX1xx
SRX210-W-EWF	33,760	One year subscription for Juniper-Websense Enhanced Web Filtering updates on SRX 210
SRX220-W-EWF	55,040	One year subscription for Juniper-Websense Enhanced Web Filtering updates on SRX 220
SRX240-W-EWF	92,560	One year subscription for Juniper-Websense Enhanced Web Filtering updates on SRX 240
SRX550-W-EWF	275,040	One year subscription for Juniper-Websense Enhanced Web Filtering updates on SRX 550
SRX650-W-EWF	400,000	One year subscription for Juniper-Websense Enhanced Web Filtering updates on SRX 650
SRX5400-W-EWF-1	2,268,000	One year subscription for Juniper-Websense Enhanced Web Filtering service on SRX5400
SRX5600-W-EWF-1	call	One year subscription for Juniper-Websense Enhanced Web Filtering service on SRX5600
SRX5800-W-EWF-1	call	One year subscription for Juniper-Websense Enhanced Web Filtering service on SRX5800
SRX1XX-IDP	36,800	1 year license for IDP updates for SRX 1xx Series
SRX210-IDP	44,800	1 year license for IDP updates for SRX 210
SRX220-IDP	84,800	1 year license for IDP updates for SRX 220
SRX240-IDP	144,000	1 year license for IDP updates for SRX 240
SRX550-IDP	424,000	1 Year License for IDP Updates for SRX550
SRX650-IDP	600,000	1 year license for IDP updates for SRX 650
SRX5K-IDP	1,920,000	1 Year license for IDP updates
SRX300-IPS-1	28,800	1 Year Subscription for Intrusion Prevention Signature Updates on SRX300
SRX320-IPS-1	28,800	1 Year Subscription for Intrusion Prevention Signature Updates on SRX320
SRX340-IPS-1	57,600	1 Year Subscription for Intrusion Prevention Signature Updates on SRX340
SRX345-IPS-1	96,000	1 Year Subscription for Intrusion Prevention Signature Updates on SRX345
SRX1XX-APPSEC-A-1	38,000	1 year Subscription for Application Security and IPS updates for SRX1XX

SRX 價格表 (安全路由閘道)

產品料號	建議售價	產品說明
SRX100-APPSEC-A-1	36,800	1 year Subscription for Application Security and IPS updates for SRX100
SRX210-APPSEC-A-1	46,000	1 year Subscription for Application Security and IPS updates for SRX210
SRX220-APPSEC-A-1	88,000	1 year Subscription for Application Security and IPS updates for SRX220
SRX240-APPSEC-A-1	148,000	1 year Subscription for Application Security and IPS updates for SRX240
SRX550-APPSEC-A-1	440,000	1 year Subscription for Application Security and IPS updates for SRX550
SRX650-APPSEC-A-1	620,000	1 year Subscription for Application Security and IPS updates for SRX650
SRX1XX-SMB4-CS	61,760	One year security subscription for Enterprise - includes Kaspersky AV, Enhanced WF, Sophos AS, AppSecure and IDP on SRX1XX
SRX210-SMB4-CS	87,760	One year security subscription for Enterprise - includes Kaspersky AV, Enhanced WF, Sophos AS, AppSecure and IDP on SRX 210
SRX220-SMB4-CS	144,000	One year security subscription for Enterprise - includes Kaspersky AV, Enhanced WF, Sophos AS, AppSecure and IDP on SRX 220
SRX240-SMB4-CS	277,440	One year security subscription for Enterprise - includes Kaspersky AV, Enhanced WF, Sophos AS, AppSecure and IDP on SRX 240
SRX550-SMB4-CS	825,040	One year security subscription for Enterprise - includes Kaspersky AV, Enhanced WF, Sophos AS, AppSecure and IDP on SRX 550
SRX650-SMB4-CS	1,200,000	One year security subscription for Enterprise - includes Kaspersky AV, Enhanced WF, Sophos AS, AppSecure and IDP on SRX 650
SRX1XX-S-SMB4-CS	61,760	One year security subscription for Enterprise - includes Sophos AV, Enhanced WF, Sophos AS, AppSecure and IDP on SRX1XX
SRX210-S-SMB4-CS	87,760	One year security subscription for Enterprise - includes Sophos AV, Enhanced WF, Sophos AS, AppSecure and IDP on SRX 210
SRX220-S-SMB4-CS	144,000	One year security subscription for Enterprise - includes Sophos AV, Enhanced WF, Sophos AS, AppSecure and IDP on SRX 220
SRX240-S-SMB4-CS	277,440	One year security subscription for Enterprise - includes Sophos AV, Enhanced WF, Sophos AS, AppSecure and IDP on SRX 240
SRX550-S-SMB4-CS	825,040	One year security subscription for Enterprise - includes Sophos AV, Enhanced WF, Sophos AS, AppSecure and IDP on SRX 550
SRX650-S-SMB4-CS	1,200,000	One year security subscription for Enterprise - includes Sophos AV, Enhanced WF, Sophos AS, AppSecure and IDP on SRX 650
配件類		
Interface Accessories (SRX 系列介面配件 GBIC 類)		
SFP-1GE-LH	101,760	SFP, 1000BASE-LH for Routing Platforms, SMF 70 km, Industrial Temperature (-40 through 85 DEGREE C), Duplex LC connector
SFP-1GE-LX	24,240	SFP, 1000BASE-LX, SMF 10 km or MMF 550 meters, Extended Temperature (-5 through 70 DEGREE C), Duplex LC connector
SFP-1GE-SX	15,840	SFP, 1000BASE-SX, MMF 500 meters, Extended Temperature (-10 through 85 DEGREE C), Duplex LC connector
SFP-1GE-T	31,120	SFP, 1000BASE-T for Routing Platforms, Cat 5e 100 meters, Industrial Temperature (-40 through 85 DEGREE C), RJ-45 connector
SRX-QSFP-40G-SR4	399,600	QSFP+, 40GBASE-SR4 for Security Platforms, MMF OM3 100 meters and OM4 150 meters, Standard Temperature (0 through 70 DEGREE C), MPO-12 connector
SRX-CFP-100G-SR10	2,404,240	CFP, 100GE SR10, MMF OM3 100 meters and OM4 150 meters, Standard Temperature (0 through 70 DEGREE C), MPO-12 connector
SRX-CFP-100G-LR4	3,383,200	CFP, 100GE LR4, SMF 10 km, Standard Temperature (0 through 70 DEGREE C), Duplex LC connector
SRX-SFP-10GE-DAC-1M	15,120	SFP+, 10GE Direct Attach Copper Cable for Security Platforms, 1 meter, Standard Temperature (0 through 70 DEGREE C), 30 AWG

SRX 價格表 (安全路由閘道)


產品料號	建議售價	產品說明
SRX-SFP-10GE-DAC-3M	21,280	SFP+, 10GE Direct Attach Copper Cable for Security Platforms, 3 meters, Standard Temperature (0 through 70 DEGREE C), 30 AWG
SRX-SFP-10GE-ER	994,560	SFP+ 10GBase-ER 10 Gigabit Ethernet Optics Module, 1550nm for 40Km Transmission
SRX-SFP-10GE-LR	399,600	Small Form Factor Pluggable 10 Gigabit Ethernet (SFP+) LR Optics
SRX-SFP-10GE-LRM	177,600	Small Form Factor Pluggable 10 Gigabit Ethernet (SFP+) LRM Optics
SRX-SFP-10GE-SR	150,960	Small Form Factor Pluggable 10 Gigabit Ethernet (SFP+) SR Optics
SRX-SFP-1GE-LH	603,840	Small Form Factor Pluggable 1000Base-LH Gigabit Ethernet Optic Module
SRX-SFP-1GE-LH-ET	115,760	SFP, 1000BASE-LH for Security Platforms, SMF 70 km, Extended Temperature (-40 through 85 DEGREE C), Duplex LC connector
SRX-SFP-1GE-LX	106,560	Small Form Factor Pluggable 1000Base-LX Gigabit Ethernet Optic Module
SRX-SFP-1GE-LX-ET	124,320	Small Form Factor Pluggable 1000Base-LX Gigabit Ethernet Optic Module - Extended Temp
SRX-SFP-1GE-SX	49,760	Small Form Factor Pluggable 1000Base-SX Gigabit Ethernet Optic Module
SRX-SFP-1GE-SX-ET	60,400	Small Form Factor Pluggable 1000Base-SX Gigabit Ethernet Optic Module - Extended Temp
SRX-SFP-1GE-T	40,000	Small Form Factor Pluggable 1000Base-T Gigabit Ethernet Module (uses Cat 5 cable)
SRX-SFP-1GE-T-ET	41,200	SFP, 1000BASE-T for Security Platforms, Cat 5e 100 meters, Extended Temperature (-40 through 85 DEGREE C), RJ-45 connector
SRX-SFP-10G-SR-ET	150,960	SFP+ 10GE pluggable transceiver, short reach, 850nm for 200m transmission, Extended Temp 0-85
Power Cables (電源線)		
CBL-JX-PWR-US	4,800	J-Series Power Cable, US
CBL-M-PWR-RA-TWLK-US	7,760	AC Power Cable, US, Right Angle, Twist Lock, M120/M320/MX960
CBL-M-PWR-RA-US	7,760	M320 AC Power Cable, US, Right Angle
CBL-PWR-RA-TWLK-US15	6,480	NEMA L5-15P (twist lock) 15A/125V 2.5m length for U.S., Canada, Mexico
CBL-PWR-RA-US15	7,760	NEMA 5-15 15A/125V 2.5m length for North America, parts of South America, Central America, and Asia
CBL-PWR-C19-C14-US	8,000	Power Cord, AC, USA, C14 to C19 jumper, 15A/250V, 2.5m

NSM Series (集中管理系統)

產品料號	建議售價	產品說明
NSM Hardware 主機或軟體平台		
NS-SM-S-BSE	584,000	NSM Software Only Base System with license for managing up to 25 devices

MX Router 價格表

產品料號	建議售價	產品說明
M Series Base Systems (M 系列設備本體)		
MX104-40G-AC-BNDL	call	MX104 Promotional bundle, 2x10GE, 2 MIC slots, AC
MX104-40G-DC-BNDL	call	MX104 Promotional bundle, 2x10GE, 2 MIC slots, DC
MX104-80G-AC-BNDL	call	MX104 Promotional bundle, 4x10GE, 4 MIC slots, AC
MX104-80G-DC-BNDL	call	MX104 Promotional bundle, 4x10GE, 4 MIC slots, DC
MX104-PREM-AC-BNDL	call	MX104 premium, redundant PS +RE + 4 MIC slots+JUNOS
MX104-PREM-DC-BNDL	call	MX104 premium, redundant PS and RE + 4 MIC slots+JUNOS
MX240-PREMIUM3-ACL	call	MX240 Premium Chassis Bundle with Enhanced Midplane. Also includes redundant RE, redundant SCB-E, redundant Lowline AC Power
MX240-PREMIUM3-DC	call	MX240 Premium Chassis Bundle with Enhanced Midplane. Also includes redundant RE, redundant SCB-E, redundant DC Power
MX480-PREMIUM3-AC	call	MX480 Premium Chassis Bundle with Enhanced Midplane. Also includes redundant RE, redundant SCB-E, redundant AC Power
MX480-PREMIUM3-DC	call	MX480 Premium Chassis Bundle with Enhanced Midplane. Also includes redundant RE, redundant SCB-E, redundant DC Power
MX960-PREMIUM3-AC	call	MX960 Premium Bundle with redundant components, AC Power
MX960-PREMIUM3-DC	call	MX960 Premium Bundle with redundant components, DC Power



Mist 無線基地台

	AP12	AP21	AP32	AP33	AP41	AP43	AP61	AP63
形式	嵌入式	室內	室內	室內	室內	室內	戶外	戶外
Wi-Fi 規格	802.11ax 2x2:2SS	802.11ac 2x2:2SS	802.11ax 4x4:4SS	802.11ax 4x4:4SS	802.11ac 4x4:4SS	802.11ax 4x4:4SS	802.11ac 4x4:4SS	802.11ax 4x4:4SS
虛擬 BLE	-(omni BLE)	✓	-(omni BLE)	✓	✓	✓	✓	✓
IoT 介面	---	---	---	---	✓	✓	---	---
IoT 感知器						濕度 壓力、溫度		

產品料號	建議售價	產品說明
ACCESS POINTS (無線基地台)		
AP12-WW	call	High Performance Wallplate WiFi 6 802.11ax Access Point with Bluetooth Low Energy. Outside US Only
AP32-WW	call	Superior Performance Multigigabit WiFi 6 802.11ax Access Point (6 stream) with BLE, with built-in Internal Antenna. For Worldwide
AP32E-WW	call	Superior Performance Multigigabit WiFi 6 802.11ax Access Point (6 stream) with BLE, with External Antenna connectors. For Worldwide
AP41-WW	call	Premium Performance Gigabit Wi-Fi Wave 2 Access Point (4x4:4) with Adaptive Bluetooth Low Energy Array for Advanced Location based services, with built in Internal Antenna - outside US Only.
AP41E-WW	call	Premium Performance Gigabit Wi-Fi Wave 2 Access Point (4x4:4) with Adaptive Bluetooth Low Energy Array for Advanced Location based services, with External Antenna Connectors - outside US Only.
AP43-WW	call	Premium Performance MultiGigabit WiFi 802.11ax Access Point with Adaptive Bluetooth Low Energy Array for Advanced Location based services, with built in Internal Antenna - outside US only
AP43E-WW	call	Premium Performance MultiGigabit WiFi 802.11ax Access Point with Adaptive Bluetooth Low Energy Array for Advanced Location based services, with External Antenna connectors - outside US only
AP61-WW	call	Premium Performance Outdoor Gigabit Wi-Fi Wave 2 Access Point (4x4:4) with Adaptive Bluetooth Low Energy Array for Advanced Location based Services, with built in Internal Antenna - outside US Only.
AP61E-WW	call	Premium Performance Outdoor Gigabit Wi-Fi Wave 2 Access Point (4x4:4) with Adaptive Bluetooth Low Energy Array for Advanced Location based Services, with External Antenna Connectors - outside US only.
BT11-WW	call	Adaptive Bluetooth Low Energy Array Access Point for Advanced Location based services.
BRACKETS (配件)		
APBR-T58	call	5/8th threaded rod bracket
APBR-M16	call	M16 threaded rod bracket
APOUTBR-FM	call	Flush mount bracket for outdoor AP wall and pole mounting
APOUTBR1	call	Outdoor mounting bracket for AP61.
APBR-ADP-CSC	call	Adapter for Cisco AIR-AP-BRACKET-2 & BRACKET-1
APBR-ADP-WS15	call	Adapter for 1.5 inch t-rail and Wi-Fi Stand
APBR-SW1	call	Drywall ceiling mounting bracket kit for AP21 and BT11
APBR-ADP-CR9	call	Adapter for channel rail and recessed 9/16O t-rail
APBR-ADP-RT15	call	Adapter for recessed 15/16th t-rail
APBR-U	call	Universal AP Bracket for T-Rail and Drywall mounting for Indoor Access Points
APKIT-IOT-10	call	IOT Connector 10pk for AP41 and AP43

MIST 價格表

產品料號	建議售價	產品說明
CLOUD SUBSCRIPTIONS (授權)		
SUB-1S-1Y	call	Subscription for 1 service (specify SUB-MAN, SUB-ENG, SUB-AST, SUB-VNA, SUB-PMA) for one access point for 1 year: includes upgrades, cloud function subscription and limited lifetime warranty benefits on indoor access points
SUB-1S-3Y	call	Subscription for 1 service (specify SUB-MAN, SUB-ENG, SUB-AST, SUB-VNA, SUB-PMA) for one access point for 3 year: includes upgrades, cloud function subscription and limited lifetime warranty benefits on indoor access points
SUB-1S-5Y	call	Subscription for 1 service (specify SUB-MAN, SUB-ENG, SUB-AST, SUB-VNA, SUB-PMA) for one access point for 5 year: includes upgrades, cloud function subscription and limited lifetime warranty benefits on indoor access points
SUB-2S-1Y	call	Subscriptions for 2 services (specify from SUB-MAN, SUB-ENG, SUB-AST, SUB-VNA, SUB-PMA) for one access point for 1 year: includes upgrades, cloud function subscriptions and limited lifetime warranty benefits on indoor access points
SUB-2S-3Y	call	Subscriptions for 2 services (specify from SUB-MAN, SUB-ENG, SUB-AST, SUB-VNA, SUB-PMA) for one access point for 3 years: includes upgrades, cloud function subscriptions and limited lifetime warranty benefits on indoor access points
SUB-2S-5Y	call	Subscriptions for 2 services (specify from SUB-MAN, SUB-ENG, SUB-AST, SUB-VNA, SUB-PMA) for one access point for 5 years: includes upgrades, cloud function subscriptions and limited lifetime warranty benefits on indoor access points
SUB-3S-1Y	call	Subscriptions for 3 services (specify from SUB-MAN, SUB-ENG, SUB-AST, SUB-VNA, SUB-PMA) for one access point for 1 year: includes upgrades, cloud function subscriptions and limited lifetime warranty benefits on indoor access points
SUB-3S-3Y	call	Subscriptions for 3 services (specify from SUB-MAN, SUB-ENG, SUB-AST, SUB-VNA, SUB-PMA) for one access point for 3 years: includes upgrades, cloud function subscriptions and limited lifetime warranty benefits on indoor access points
SUB-3S-5Y	call	Subscriptions for 3 services (specify from SUB-MAN, SUB-ENG, SUB-AST, SUB-VNA, SUB-PMA) for one access point for 5 years: includes upgrades, cloud function subscriptions and limited lifetime warranty benefits on indoor access points
SUB-4S-1Y	call	Subscriptions for 4 services (specify from SUB-MAN, SUB-ENG, SUB-AST, SUB-VNA, SUB-PMA) for one access point for 1 year: includes upgrades, cloud function subscriptions and limited lifetime warranty benefits on indoor access points
SUB-4S-3Y	call	Subscriptions for 4 services (specify from SUB-MAN, SUB-ENG, SUB-AST, SUB-VNA, SUB-PMA) for one access point for 3 years: includes upgrades, cloud function subscriptions and limited lifetime warranty benefits on indoor access points
SUB-4S-5Y	call	Subscriptions for 4 services (specify from SUB-MAN, SUB-ENG, SUB-AST, SUB-VNA, SUB-PMA) for one access point for 5 years: includes upgrades, cloud function subscriptions and limited lifetime warranty benefits on indoor access points
CLOUD SUBSCRIPTIONS COTERM PARTS (進階授權)		
SUB-MAN	call	WiFi Assurance Subscription for one access point: Includes software updates, upgrades, cloud (wi-fi) function Subscriptions, network insights and limited lifetime warranty on indoor access points.
SUB-ENG	call	BLE Engagement Subscription for one access point: Includes software updates, upgrades, cloud engagement function Subscriptions, application analytics and limited lifetime warranty on indoor access points.
SUB-AST	call	Asset Visibility Subscription for one access point: Includes software updates, upgrades, cloud (asset visibility) function subscriptions, analytics and limited lifetime warranty on indoor access points.
SUB-VNA	call	Virtual Network Assistant Subscription for wireless operations. Includes software updates, upgrades and enhancements on the VNA service. Requires WiFi Assurance Subscription to be enabled on the access point.